

1/22





Fig. 1A

Fig. 1B

Fig. 1C


2/22



Fe-12Cr-C 60%Fe/40%Cr

Fig. 2

3/22



D2 60%*s*/40%*l* at 1306°C and 70%*s*/30%*l* at 1279°C

Fig. 3

4/22





Fig. 4

5/22



6/22




Fig. 6

7/22




Fig. 7

8/22




Fig. 8

9/22




Fig. 9 part A




Fig. 9 part B

11/22




Figure 10 part A

12/22





Figure 10 part B


13/22



D2 at 1279°C 70%*s*/30%*l*

Fig. 11


14/22



D2 60%skel./40%infil. equilibrium 70% s/30% l at 1279°C

Fig. 12


15/22



A3 1351°C 60%*s*/40%*l* Mo, V function of Cr

Fig. 13


16/22



A3 60%*s*/40%*l* at 1351°C and 70%*s*/30%*l* at 1330°C

Fig. 14


17/22



Cn-7MS at 1261°C 60%*s*/40%*l*

Fig. 15


18/22



CN-7MS 60%Si/40%I

Fig. 16


19/22



D2 70%*s*/30%*l*

Fig. 17


20/22



Austenitic Manganese Grade C at 1295°C

Fig. 18


21/22



Austenitic Manganese Steel Grade C

Fig. 19

22/22



Fe-12Cr-C

Fig. 20